



Multi-Level MM 40

Product Specifications Sheet

Models Available: 40/300, 40/600

Dimensions: 11.75 x 4 x 1.25

Weight: 1.66 lbs.



MM40 pictured with both the optional Carrying Case and Keyguard.

Compliance:

- Year 2000 compliant
- Complies with FCC & CE approval

Power Supply:

- Charger included (output 12VDC to 35 VDC, 720mA, 2.1mm female coaxial plug, positive or negative)

Special Features:

- Message Builder

Number of Message Keys

Available Single-Level:

- 40 key mode w/o Message Builder - 40
- 40 key mode with Message Builder - 36
- 10 key mode w/o Message Builder - 10
- 10 key mode with Message Builder - 8

Number of Messages Available in

Multi-Level Mode:

- 40 key mode w/o Message Builder - 144
- 40 key mode with Message Builder - 128

Total Recording Time:

- 40/300 - 300 seconds/5 minutes
- 40/600 - 600 seconds/10 minutes

Keyguard:

- Optional - 10 keys or 40 keys

Carrying Case:

- Optional

Materials:

- Aluminum, fiberglass, and high-impact plastic

Optional/Replacement Items:

- Mayer Johnson™ Stickers - 3/4" color - 596 pieces
- Imaginart Touch n'Talk Stickers™ - 5/8" Black & White - 690 pieces
- Imaginart Pick n'Stick Stickers - 5/8" Color - 1470 pieces
- Carrying case
- Keyguard
- AC Adapter (battery charger)

Speech:

- Analog

Scanning Features

Scanning Switch Modes:

- 1 switch interrupted
- 2 switch directed

Scan Patterns:

- Linear
- Column/row

Scan rate:

- 1/8 second per step to 10 seconds per step

Auditory Scanning:

- 3/4 second recorded cue

Input Methods:

- Direct select
- Switch scanning

Key size:

- .75" x .75"

Key Sensitivity:

- 3.6 oz., or 100 grams pressure

Battery:

- Rechargeable NiMH
- A full battery charge enables the unit to speak about 3500 messages (usually 3 - 5 weeks)

Words+, Inc.

www.words-plus.com • info@words-plus.com

1220 W. Avenue J • Lancaster, CA 93534-2902

Phone: 800-869-8521 • Fax: 661-723-2114 • International: 661-723-6523

Note: Specifications are subject to change without prior notice.


Revised 2/19/04



MessageMate 40

Product Specifications Sheet

Models Available: 40/150
Dimensions: 11.75 x 4 x 1.25
Weight: 1.60 lbs.



MM40 pictured with both the optional Keyguard and Carrying Case.

Compliance:

- Year 2000 compliant
- Complies with FCC & CE approval

Power Supply:

- Charger included (output 12VDC to 35 VDC, 720mA, 2.1mm female coaxial plug, positive or negative)

Special Features:

- Message Builder

Number of Message Keys:

- 40

Total Recording Time:

- 40/150 - 150 seconds

Keyguard:

- Optional - 10 keys or 40 keys

Carrying Case:

- Optional

Materials:

- Aluminum, Fiberglass, and High-impact Plastic

Optional/Replacement Items:

- Mayer Johnson Stickers - 3/4" color - 596 pieces
- Imaginart Touch n'Talk Stickers - 5/8" Black & White - 690 pieces
- Imaginart Pick n'Stick Stickers - 5/8" Color - 1470 pieces
- Carrying Case
- Keyguard
- AC Adapter (battery charger)

Speech:

- Analog

Scanning Features

Scanning Switch Modes:

- 1 switch interrupted
- 2 switch directed

Scan Patterns:

- Linear
- Column/row

Scan rate:

- 1/8 second per step to 10 seconds per step

Auditory Scanning:

- 3/4 second recorded cue

Input Methods:

- Direct select
- Switch scanning

Key size:

- .75" x.75"

Key Sensitivity:

- 3.6 oz., or 100 grams pressure

Battery:

- Rechargeable NiMH
- A full battery charge enables the unit to speak about 3500 messages (usually 3 - 5 weeks)

Words+, Inc.

www.words-plus.com • info@words-plus.com

1920 W. Avenue J • Lancaster, CA 93534-2902

Phone: 800-869-8521 • Fax: 661-723-2114 • International: 661-723-6523

Note: Specifications are subject to change without prior notice.

Revised 2/19/04



MessageMate 20

Product Specifications Sheet

Models Available: 20/75, 20/150
Dimensions: 11.75 x 3 x 1.25
Weight: 1.42 lbs.



MM20 pictured with both the optional Carrying Case and Keyguard.

Compliance:

- Year 2000 compliant
- Complies with FCC & CE approval

Power Supply:

- Charger included (output 12VDC to 35 VDC, 720mA, 2.1mm female coaxial plug)

Number of keys:

- 20

Total Recording Time:

- 20/75 - 75 seconds
- 20/150 - 150 seconds

Keyguard:

- Optional - 20 keys

Carrying Case:

- Optional

Materials:

- Aluminum, fiberglass, and high-impact plastic

Optional/Replacement Items:

- Mayer Johnson Stickers™ - 3/4" color - 596 pieces
- Imaginart Touch n'Talk Stickers™ - 5/8" Black & White - 690 pieces
- Imaginart Pick n'Stick Stickers - 5/8" Color - 1470 pieces
- Carrying case
- Keyguard
- AC Adapter (battery charger)

Speech:

- Analog

Scanning Features

Scanning Switch Modes:

- 1 switch interrupted
- 2 switch directed

- Column/row

Input Methods:

- Direct Select
- Switch Scanning

Scan rate:

- 1/8 second per step to 10 seconds per step

Auditory Scanning:

- 3/4 second recorded cue

Auditory Scanning:

- 3/4 second recorded cue

Input Method:

- Direct select
- Switch scanning

Key Sensitivity:

- 3.6 oz., or 100 grams pressure

Battery:

- Rechargeable NiMH
- A full battery charge enables the unit to speak about 5000 messages (usually 1-2 months)

Words+, Inc.

www.words-plus.com • info@words-plus.com

1220 W. Avenue J • Lancaster, CA 93534-2902

Phone: 800-869-8521 • Fax: 661-723-2114 • International: 661-723-6523

Note: Specifications are subject to change without prior notice.



MessageMate 8

Product Specifications Sheet

Models Available: 8/60
Dimensions: 7.25 x 3 x 1.25
Weight: 1.0 lbs.



MM8 pictured with the optional Keyguard

Compliance:

- Year 2000 compliant
- Complies with FCC & CE approval

Power Supply:

- Charger included (output 12VDC to 35 VDC, 720mA, 2.1mm female coaxial plug)

Number of keys:

- 8

Total Recording Time:

- 8/60 - 60 seconds

Keyguard:

- Optional

Carrying Case:

- Optional

Materials:

- Aluminum, fiberglass, and high-impact plastic

Optional/Replacement Items:

- Mayer Johnson Stickers™ - 3/4" color - 596 pieces
- Imaginart Touch n'Talk Stickers™ - 5/8" Black & White - 690 pieces
- Imaginart Pick n'Stick Stickers - 5/8" Color - 1470 pieces
- Carrying Case
- Keyguard
- AC Adapter (battery charger)

Speech:

- Analog

Key Size:

- 1.25" x 1.25"
- Key Sensitive

Input Methods:

- Direct Select
- Multiple Switch Inputs

Key Sensitivity:

- 3.6 oz., or 100 grams pressure

Battery:

- Rechargeable NiMH
- A full battery charge enables the unit to speak about 5000 messages (usually 1-2 months)

Words+, Inc.

www.words-plus.com • info@words-plus.com

1220 W. Avenue J • Lancaster, CA 93534-2902

Phone: 800-869-8521 • Fax: 661-723-2114 • International: 661-723-6523

Note: Specifications are subject to change without prior notice.

Revised 5/03/04